AMENDMENTS TO THE CLAIMS:

Please amend Claims 1-4, 11, 12, 14-15, 17-20, 27, 28, 30, and 31 and please cancel Claim 40 without prejudice to or disclaimer of the subject matter recited therein, as follows:

1. (Currently Amended) A method of creating a file describing a digital image, comprising the steps of:

defining at least one zoomable area in the image, a zoomable area being defined by characteristics of location of the area in the image and for which additional data defining the image at a greater quality or resolution are available;

writing the characteristics of the at least one zoomable area in a first file; and writing in the first file at least one management function <u>for navigation</u>

<u>incompatibility</u> implemented in a computer-executable language for navigation in the image.

- 2. (Currently Amended) The method according to claim 1, wherein the at least one management function <u>for navigation incompatibility</u> relates to at least one area of the image which is not a zoomable area.
- 3. (Currently Amended) The method according to claim 2, wherein the at least one management function <u>for navigation incompatibility</u> comprises a step of displaying a message.

- 4. (Currently Amended) The method according to claim 2, wherein the at least one management function <u>for navigation incompatibility</u> comprises a step of zooming the at least one area by interpolation.
- 5. (Previously Presented) The method according to Claim 1, wherein the first file is an SWF file.
- 6. (Previously Presented) The method according to Claim 1, wherein the writing of the characteristics is performed by object instancing.
- 7. (Previously Presented) The method according to Claim 1, further comprising the steps of compression of the image and storage of the compression data in a second file, the compression data enabling reconstruction of the image and further containing the additional data.
- 8. (Previously Presented) The method according to Claim 7, wherein the compression comprises JPEG2000 compression.
- 9. (Previously Presented) The method according to Claim 1, wherein the image has a given resolution and wherein the additional data define at least one additional resolution for the zoomable area.

- 10. (Previously Presented) The method according to Claim 1, wherein the image has a given quality and wherein the additional data define at least one additional quality for the zoomable area.
- 11. (Currently Amended) A method of reading a file describing a digital image, comprising the steps of:

reading characteristics of at least one zoomable area in a first file, a zoomable area being defined by characteristics of location of the area in the image and for which additional data defining the image at a greater quality or resolution are available;

receiving a navigation instruction;

reading at least one management function <u>for navigation incompatibility</u>
implemented in a computer-executable language for navigation in the image, in the first file; and executing the at least one management function.

12. (Currently Amended) The method of claim 11, further comprising the step of testing compatibility between the navigation instruction <u>for navigation incompatibility</u> and the characteristics of the at least one zoomable area,

wherein the step of executing the at least one management function <u>for navigation</u> incompatibility occurs only if the result of said testing step is incompatibility.

- 13. (Previously Presented) The method according to Claim 11, wherein the navigation instruction comprises an instruction included in a list consisting of an instruction to move in the image and a zoom instruction.
- 14. (Currently Amended) The method according to Claim 11, wherein said step of executing the at least one management function <u>for navigation incompatibility</u> comprises display of a message.
- 15. (Currently Amended) The method according to Claim 11, wherein said step of executing the at least one management function <u>for navigation incompatibility</u> comprises a zoom by interpolation in a decoded image.
- 16. (Previously Presented) The method according to Claim 12, further comprising the step of decompressing the additional data, if the result of the compatibility test is positive.
- 17. (Currently Amended) A device for creating a file describing a digital image, comprising:

means for defining at least one zoomable area in the image, a zoomable area being defined by characteristics of location of the area in the image and for which additional data defining the image at a greater quality or resolution are available;

means for writing the characteristics of the at least one zoomable area in a first file; and

means for writing in the first file at least one management function <u>for</u>

<u>navigation incompatibility</u> implemented in a computer-executable language for navigation in the image.

- 18. (Currently Amended) The device according to claim 17, wherein the at least one management function <u>for navigation incompatibility</u> relates to at least one area of the image which is not a zoomable area.
- 19. (Currently Amended) The device according to claim 18, wherein the at least one management function <u>for navigation incompatibility</u> comprises display of a message.
- 20. (Currently Amended) The device according to claim 18, wherein the at least one management function <u>for navigation incompatibility</u> comprises a zoom in the at least one area by interpolation.
- 21. (Previously Presented) The device according to Claim 17, wherein the first file is an SWF file.
- 22. (Previously Presented) The device according to Claim 17, wherein said means for writing the characteristics comprises means for object instancing.

- 23. (Previously Presented) The device according to Claim 17, further comprising means for compression of the image and means for storage of the compression data in a second file, the compression data enabling reconstruction of the image and further containing the additional data.
- 24. (Previously Presented) The device according to Claim 23, wherein the compression comprises JPEG2000 compression.
- 25. (Previously Presented) The device according to Claim 17, wherein the image has a given resolution and wherein the additional data define at least one additional resolution for the zoomable area.
- 26. (Previously Presented) The device according to Claim 17, wherein the image has a given quality and wherein the additional data define at least one additional quality for the zoomable area.
- 27. (Currently Amended) A device for reading a file describing a digital image, comprising:

means for reading characteristics of at least one zoomable area in a first file, a zoomable area being defined by characteristics of location of the area in the image and for which additional data defining the image at a greater quality or resolution are available;

means for receiving a navigation instruction;

means for reading at least one management function <u>for navigation</u>

<u>incompatibility</u> implemented in a computer-executable language for navigation in the image, in the first file; and

means for executing said at least one management function.

28. (Currently Amended) The device of claim 27, further comprising:

means for testing compatibility between the navigation instruction and the characteristics of the at least one zoomable area,

wherein execution of the at least one management function <u>for navigation</u> incompatibility occurs only if the result from said testing means is incompatibility.

- 29. (Previously Presented) The device according to Claim 27, wherein the navigation instruction comprises an instruction included in a list consisting of an instruction to move in the image and a zoom instruction.
- 30. (Currently Amended) The device according to Claim 27, wherein execution of the at least one management function <u>for navigation incompatibility</u> comprises display of a message.
- 31. (Currently Amended) The device according to Claim 27, wherein execution of the at least one management function <u>for navigation incompatibility</u> comprises a zoom by interpolation in a decoded image.

- 32. (Previously Presented) The device according to Claim 28, further comprising the step of decompressing the additional data, if the result from said testing means is positive.
- 33. (Previously Presented) The device according to Claim 17, wherein said defining means and said writing means are incorporated in a microprocessor, a read only memory containing a program for processing the data, and a random access memory containing registers adapted to record the variables modified during execution of the program.
- 34. (Previously Presented) The device according to Claim 27, wherein said reading means, said receiving means and said executing means are incorporated in a microprocessor, a read only memory containing a program for processing the data, and a random access memory containing registers adapted to record variables modified during execution of the program.
- 35. (Previously Presented) A digital image processing apparatus adapted to implement the method according to Claim 1 or 11.
- 36. (Previously Presented) A digital image processing apparatus comprising the device according to Claim 17 or 27.
- 37. (Previously Presented) An information storage means readable by a computer or by a microprocessor, integrated or not into the device, possibly removable, and storing a

program executed by the computer or microprocessor to effect the method according to Claim 1 or 11.

- 38. (Cancelled)
- 39. (Previously Presented) A method according to Claim 1, wherein the computer-executable language is a scripting language.
 - 40. (Canceled)